Molecular and Cellular Biochemistry **198:** 201–203, 1999.

Index to Volume 198

Afonso AO, *see* Tempone AJ *et al.*

Backlund P, *see* de la Haba G *et al.*
Baker RR, Chang H-y: Lysophosphatidic acid, alkylglycerophosphate and alkylacetylglycerophosphate increase the neuronal nuclear acetylation of 1-acyl lysophosphatidyl choline by inhibition of lysophospholipase 47–55
Beattie J, Bramani S, Secchi C, Mockridge J: Binding and signalling properties of a growth hormone enhancing monoclonal antibody 61–67
Bell RM, *see* Improta-Brears T *et al.*
Bhattacharyya D, Sen PC: The effect of binding of chlorpromazine and chloroquine to ion transporting ATPases 179–185
Björkling F, *see* Ladrière L *et al.*
Bramani S, *see* Beattie J *et al.*
Brunetti IL, *see* Pepato MT *et al.*

Cabré M, *see* Ferré N *et al.*
Camps J, *see* Ferré N *et al.*
Carosella L, *see* Minieri M *et al.*
Castranova V, *see* Ye J *et al.*
Chang H-y, *see* Baker RR
Chowdhury M, *see* Das P
Cooper GW, *see* de la Haba G *et al.*
Cortizo AM, *see* Sálice VC *et al.*

de la Haba G, Khatami M, Cooper GW, Backlund P, Flaks JG: Alanine or pyruvate is required for the development of myotubes from myoblasts and cortisol satisfies this requirement 163–170
Das P, Chowdhury M: Vitamin E-deficiency induced changes in ovary and uterus 151–156
Das T, *see* Sa G
Di Nardo P, *see* Minieri M *et al.*
Dinda S, *see* Iwasaki K *et al.*
Ding M, *see* Ye J *et al.*

Ellis D, *see* Gow IF *et al.*
Etcheverry SB, *see* Sálice VC *et al.*

Ferré N, Girona J, Cabré M, Joven J, La Ville A, Masana L, Paternáin JL, Camps J: Hepatic production of apolar aldehydes in rats with carbon tetrachloride-induced cirrhosis 57–60
Fiaccavento R, *see* Minieri M *et al.*
Flaks JG, *see* de la Haba G *et al.*
Flatman PW, *see* Gow *et al.*

Genka C, *see* Ishida H *et al.*
Ghosh S, *see* Improta-Brears T *et al*
Girona J, *see* Ferré N *et al.*
Gómez Dumm CL, *see* Sálice VC *et al.*
Gow IF, Flatman PW, Ellis D: Lithium induced changes in intracellular free magnesium concentration in isolated rat ventricular myocytes 129–133
Grue-Sørensen G, *see* Ladrière L *et al.*

Hamasaki Y, *see* Ishida H *et al.*
Hazen S, *see* Vary TC
Herman M, *see* Iwasaki K *et al.*
Hirota Y, *see* Ishida H *et al.*
Hurd C, *see* Iwasaki K *et al.*

Igbavboa U, *see* Pu L *et al.*
Ikegwuonu FI, Jefcoate CR: Evidence for the involvement of the fatty acid and peroxisomal β-oxidation pathways in the inhibition by dehydroepiandrosterone (DHEA) and induction by 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and benz(a)anthracene (BA) of cytochrome P4501B1 (CYP1B1) in mouse embryo fibroblasts (C3H10T1/2 cells) 89–100
Improta-Brears T, Ghosh S, Bell RM: Mutational analysis of Raf-1 cysteine rich domain: Requirement for a cluster of basic aminoacids for interaction with phosphatidylserine 171–178
Ishida H, Genka C, Hirota Y, Hamasaki Y, Nakazawa H: Distinct roles of peroxynitrite and hydroxyl radical in triggering stunned myocardium-like impairment of cardiac myocytes *in vitro* 31–38
Iwasaki K, Underwood W, Herman M, Dinda S, Kodali S, Kloosterboer HJ, Hurd C, Moudgil VK: Effects of antiprogestins on the rate of proliferation of breast cancer cells 141–149

Jefcoate CR, *see* Ikegwuonu FI
Joven J, *see* Ferré N *et al.*

Kettelhut IC, *see* Pepato MT *et al.*
Khatami M, *see* de la Haba G *et al.*
Kier AB, *see* Pu L *et al.*
Kloosterboer HJ, *see* Iwasaki K *et al.*
Kodali S, *see* Iwasaki K *et al.*
Kohli KK, *see* Ramana KV

LaVille A, *see* Ferré N *et al.*
Ladrière L, Grue-Sørensen G, Björkling F, Malaisse WJ: Metabolism of glycerol-1,2,3-trimethylsucinate in rat hepatocytes 135–139

Magnani MRT, *see* Pepato MT *et al.*
Malaisse WJ, *see* Ladrière *et al.*
Malhotra A, *see* Raizada V *et al.*
Martinez JR, *see* Sugita K *et al.*
Masana L, *see* Ferré N *et al.*
Minieri M, Fiaccavento R, Carosella L, Peruzzi G, Di Nardo P: The cardiomyopathic hamster as model of early myocardial aging 1–6
Mockridge J, *see* Beattie J *et al.*
Mörk AC, *see* Sugita K *et al.*
Moudgil VK, *see* Iwasaki K *et al.*
Murata T, *see* Nakajima M *et al.*

Nakajima M, Murata T, Yamaguchi M: Expression of calcium-binding protein regucalcin mRNA in the cloned rat hepatoma cells (H4-II-E) is stimulated through Ca^{2+} signaling factors: Involvement of protein kinase C 101–107
Nakazawa H, *see* Ishida H *et al.*
Nakouzi A, *see* Raizada V *et al.*
Nascimento D, *see* Tempone AJ *et al.*
Nedospasov S, *see* Ye J *et al.*
Nekhai S, *see* Woldehawariat G *et al.*

Paternáin JL, *see* Ferré N *et al.*
Pathak D, *see* Raizada V *et al.*
Pepato MT, Magnani MRT, Kettelhut IC, Brunetti IL: Effect of oral vanadyl sulfate treatment on serum enzymes and lipids of streptozotocin-diabetic young rats 157–161
Peruzzi G, *see* Minieri M *et al.*
Petryshyn R, *see* Woldehawariat G *et al.*
Pu L, Igbavboa U, Wood WG, Roths JB, Kier AB, Spener F, Schroeder F: Expression of fatty acid binding proteins is altered in aged mouse brain 69–78

Raizada V, Pathak D, Skipper B, Nakouzi A, Malhotra A: Age-related difference in cardiac adaptation to chronic hypertension in rats, with and without nifedipine treatment 109–112
Ramana KV, Kohli KK: Purification and characterization of the hepatic CYP2C and 3A isozymes from phenobarbitone pretreated rhesus monkey 79–88
Rojanasakul Y, *see* Ye J *et al.*
Roths JB, *see* Pu L *et al.*
Rumjanek FD, *see* Tempone AJ *et al.*

Sa G, Das T: Basic fibroblast growth factor stimulates cytosolic phospholipase A_2, phospholipase C-γ1 and phospholipase D through distinguishable signaling mechanisms 19–30

Sálice VC, Cortizo AM, Gómez Dumm CL, Etcheverry SB: Tyrosine phosphorylation and morphological transformation induced by four vanadium compounds on MC3T3E1 cells 119–128

Schroeder F, *see* Pu L *et al.*

Secchi C, *see* Beattie J *et al.*

Sen PC, *see* Bhattacharyya D

Shi X, *see* Ye J *et al.*

Skipper B, *see* Raizada V *et al.*

Spener F, *see* Pu L *et al.*

Sugita K, Mörk A-C, Zhang GH, Martinez JR: Modulation of Ca^{2+} mobilization by protein kinase C in the submandibular duct cell line A253 39–46

Tempone AJ, Afonso AO, Nascimento D, Rumjanek FD: Dolichol phosphate is a rate-limiting factor in mannosyl transferase activity of adult male worms of *Schistosoma mansoni* 187–191

Underwood W, *see* Iwasaki K *et al.*

Vallyathan V, *see* Ye J *et al.*

Vary TC, Hazen S: Sepsis alters pyruvate dehydrogenase kinase activity in skeletal muscle 113–118

Woldehawariat G, Nekhai S, Petryshyn R: Differential phosphorylation of PKR associates with deregulation of eIF-2α phosphorylation and altered growth characteristics in 3T3-F442A fibroblasts 7–17

Wood WG, *see* Pu L *et al.*

Yamaghuchi M, *see* Nakajima M *et al.*

Ye J, Ding M, Zhang X, Rojanasakul Y, Nedospasov S, Vallyathan V, Castranova V, Shi X: Induction of TNFα in macrophages by vanadate is dependent on activation of transcription factor NF-κB and free radical reactions 193–200

Zhang GH, *see* Sugita K *et al.*

Zhang X, *see* Ye J *et al.*